



PLASTIC FILTER MESH

| Thickness | SPI | Angle | Width(mm) | Material |
|-------------|-------|-------|-----------|----------|
| 0.43mm | 16x16 | 90 | 200-1100 | PP |
| 0.5mm | 16x16 | 90 | 200-1100 | PP |
| 0.56mm | 16x16 | 90 | 200-1100 | PP |
| 0.69mm | 9x9 | 90 | 200-1040 | PP |
| 0.71mm | 9x9 | 90 | 200-1040 | PP |
| 0.76mm | 9x9 | 90 | 200-1040 | PP |
| 0.79mm | 9x9 | 90 | 200-1040 | PP |
| 0.81mm | 9x9 | 90 | 200-1040 | PP |
| 0.86mm | 9x9 | 90 | 200-1020 | PP |
| 1.16mm | 7x7 | 90 | 200-1020 | PP |
| 0.5-0.58mm | 15x15 | 60 | 305-1040 | PA |
| 0.69/0.86mm | 7x7 | 75 | 305-870 | PE |

Information:

Product name: Plastic filter net is also called extrusion net, diamond net, support net and so on.

Materials: Polyethylene (PE), Polypropylene (PP), Polyamide (PA) Material

Specification: 7 x 7 mesh - 16 x 16 mesh

Weave Type: Extrusion diamond

Width: 1016-1200mm, or customized

Product Form: Rolls

Roll Length: 200 meters, 305 meters, or customized

Color: White, Black, Blue, or customized

Advantage:

Corrosion Resistance, Light Weight, Increasing Filtration Area and Improving Filtration Efficiency

Application:

Used for outer sheath and supporting function of filter element